

# **X100/303**

---

NATIONAL  
QUALIFICATIONS  
2007

TUESDAY, 15 MAY  
10.30 AM – 12.00 NOON

MATHEMATICS  
HIGHER  
Units 1, 2 and 3  
Paper 2

**Read Carefully**

- 1 **Calculators may be used in this paper.**
- 2 Full credit will be given only where the solution contains appropriate working.
- 3 Answers obtained by readings from scale drawings will not receive any credit.



## FORMULAE LIST

### Circle:

The equation  $x^2 + y^2 + 2gx + 2fy + c = 0$  represents a circle centre  $(-g, -f)$  and radius  $\sqrt{g^2 + f^2 - c}$ .

The equation  $(x - a)^2 + (y - b)^2 = r^2$  represents a circle centre  $(a, b)$  and radius  $r$ .

**Scalar Product:**  $\mathbf{a} \cdot \mathbf{b} = |\mathbf{a}| |\mathbf{b}| \cos \theta$ , where  $\theta$  is the angle between  $\mathbf{a}$  and  $\mathbf{b}$

or  $\mathbf{a} \cdot \mathbf{b} = a_1 b_1 + a_2 b_2 + a_3 b_3$  where  $\mathbf{a} = \begin{pmatrix} a_1 \\ a_2 \\ a_3 \end{pmatrix}$  and  $\mathbf{b} = \begin{pmatrix} b_1 \\ b_2 \\ b_3 \end{pmatrix}$ .

**Trigonometric formulae:**  $\sin(A \pm B) = \sin A \cos B \pm \cos A \sin B$

$$\cos(A \pm B) = \cos A \cos B \mp \sin A \sin B$$

$$\sin 2A = 2 \sin A \cos A$$

$$\cos 2A = \cos^2 A - \sin^2 A$$

$$= 2 \cos^2 A - 1$$

$$= 1 - 2 \sin^2 A$$

**Table of standard derivatives:**

$f(x)$	$f'(x)$
$\sin ax$	$a \cos ax$
$\cos ax$	$-a \sin ax$


**Table of standard integrals:**

$f(x)$	$\int f(x) dx$
$\sin ax$	$-\frac{1}{a} \cos ax + C$
$\cos ax$	$\frac{1}{a} \sin ax + C$

ALL questions should be attempted.


Marks

1. OABCDEFG is a cube with side 2 units, as shown in the diagram.  
 B has coordinates (2, 2, 0).  
 P is the centre of face OCGD and Q is the centre of face CBFG.



- (a) Write down the coordinates of G. 1  
 (b) Find  $\mathbf{p}$  and  $\mathbf{q}$ , the position vectors of points P and Q. 2  
 (c) Find the size of angle POQ. 5


2. The diagram shows two right-angled triangles with angles  $c$  and  $d$  marked as shown.



- (a) Find the exact value of  $\sin(c + d)$ . 4  
 (b) (i) Find the exact value of  $\sin 2c$ . 4  
 (ii) Show that  $\cos 2d$  has the same exact value. 4

3. Show that the line with equation  $y = 6 - 2x$  is a tangent to the circle with equation  $x^2 + y^2 + 6x - 4y - 7 = 0$  and find the coordinates of the point of contact of the tangent and the circle. 6

4. The diagram shows part of the graph of a function whose equation is of the form  $y = a \sin(bx^\circ) + c$ .




- (a) Write down the values of  $a$ ,  $b$  and  $c$ . 3  
 (b) Determine the exact value of the  $x$ -coordinate of P, the point where the graph intersects the  $x$ -axis as shown in the diagram. 3

[Turn over

5. A circle centre C is situated so that it touches the parabola with equation  $y = \frac{1}{2}x^2 - 8x + 34$  at P and Q.


- (a) The gradient of the tangent to the parabola at Q is 4. Find the coordinates of Q.
- (b) Find the coordinates of P.
- (c) Find the coordinates of C, the centre of the circle.



5  
2  
2

6. A householder has a garden in the shape of a right-angled isosceles triangle.

It is intended to put down a section of rectangular wooden decking at the side of the house, as shown in the diagram.



- (a) (i) Find the exact value of ST.
- (ii) Given that the breadth of the decking is  $x$  metres, show that the area of the decking,  $A$  square metres, is given by

$$A = (10\sqrt{2})x - 2x^2.$$

3  
5

- (b) Find the dimensions of the decking which maximises its area.

7. Find the value of  $\int_0^2 \sin(4x + 1) dx$ .

4

8. The curve with equation  $y = \log_3(x - 1) - 2 \cdot 2$ , where  $x > 1$ , cuts the  $x$ -axis at the point  $(a, 0)$ .

Find the value of  $a$ .


4

9. The diagram shows the graph of  $y = a^x$ ,  $a > 1$ .

On separate diagrams, sketch the graphs of:

(a)  $y = a^{-x}$ ;

(b)  $y = a^{1-x}$ .




2  
2

10. The diagram shows the graphs of a cubic function  $y = f(x)$  and its derived function  $y = f'(x)$ .

Both graphs pass through the point  $(0, 6)$ .

The graph of  $y = f'(x)$  also passes through the points  $(2, 0)$  and  $(4, 0)$ .



(a) Given that  $f'(x)$  is of the form  $k(x - a)(x - b)$ :

(i) write down the values of  $a$  and  $b$ ;

(ii) find the value of  $k$ .

3

(b) Find the equation of the graph of the cubic function  $y = f(x)$ .

4

11. Two variables  $x$  and  $y$  satisfy the equation  $y = 3 \times 4^x$ .

(a) Find the value of  $a$  if  $(a, 6)$  lies on the graph with equation  $y = 3 \times 4^x$ .

1

(b) If  $(-\frac{1}{2}, b)$  also lies on the graph, find  $b$ .

1

(c) A graph is drawn of  $\log_{10}y$  against  $x$ . Show that its equation will be of the form  $\log_{10}y = Px + Q$  and state the gradient of this line.

4

[END OF QUESTION PAPER]

**[BLANK PAGE]**

**[BLANK PAGE]**

**[BLANK PAGE]**